

Immunology
Line

Catalogue
Price List

2015

Via Torino, 12 - 22070 Fenegrò (CO)



IMMUNOLOGY LINE

CATALOGUE - PRICE LIST 2015

New Scientific Company S.r.l.

Via Torino, 12
I - 22070 Fenegrò (CO)
Phone (+39) 031 938132
Fax (+39) 031 3520409
e-mail: nscit@newscientific.com
<http://www.newscientific.com>

New Scientific Company España S.L.

c/ Valencia, 558
E - 08026 Barcelona
Phone (+34) 93 244 82 94
Fax (+34) 93 244 82 95
e-mail: nsce@newscientific.com

INDEX

| | |
|--|-----------|
| General | 5 |
| <i>Company</i> | 5 |
| <i>Acknowledgement</i> | 5 |
| <i>Study Commissions on</i> | 5 |
| Free Light Chains line | 7 |
| <i>Introduction</i> | 9 |
| <i>Uses</i> | 9 |
| <i>Test Vaues</i> | 10 |
| <i>Applications</i> | 11 |
| <i>Characteristics of the Method</i> | 11 |
| <i>Kits Available</i> | 12 |
| <i>Kit Characteristics</i> | 12 |
| <i>Protocol Operative in Urine - Example</i> | 13 |
| <i>Bibliography</i> | 14 |
| Free Light Chains line - Catalogue - Price List | 17 |
| <i>ImmunoTurbidimetry - ITA</i> | 19 |
| <i>ImmunoTurbidimetry - ITAN</i> | 20 |
| <i>ImmunoNephelometry - Immage</i> | 21 |
| <i>ImmunoNephelometry - BN series</i> | 22 |
| <i>Calibrators - Prediluted Calibrator Sets - Controls</i> | 23 |
| Other Proteins - Catalogue - Price List | 25 |
| <i>ImmunoNephelometry - Immage</i> | 27 |
| <i>ImmunoNephelometry - BN series</i> | 29 |
| <i>Calibrators - Prediluied Calibrator Sets - Controls</i> | 30 |
| New Scientific Company España (NSCe) kits | 33 |
| <i>ImmunoNephelometry - Immage</i> | 34 |
| <i>ImmunoTurbidimetry - Dimension</i> | 37 |
| <i>ImmunoTurbidimetry</i> | 38 |
| <i>ImmunoTurbidimetry Latex</i> | 39 |
| <i>Calibrators - Prediluted Calibrator Sets - Controls</i> | 40 |

GENERAL

Company

The New Scientific Company, founded in 1981, operates in the "Clinical Chemistry: Analysis of Protein".

The NSC produces, distributes and provides an after-sales service for high quality products, through specific internal professional skills, innovative and at times exclusive, with an attractive price-quality ratio.

In addition to its own products, the NSC distributes products selected from the best available in the market.

Innovative and high quality such products are carefully chosen, rigorous and continuous quality control is undertaken, and a fast, qualified service in the applied procedure and in the operative protocol use are adopted.

Both promotion and service are in the hands of staff with an excellent level of competence and long experience.

Acknowledgement

In 1990 the NSC was awarded "Il Premio per l'Innovazione Tecnologica della Camera di Commercio di Milano" ("The Milan Chamber of Commerce Award for Technological Innovation") for its activity in research in the determination of Free Light Chains.

Study Commissions on

"Bence Jones Proteins and Free Light Chains"

The NSC is organiser and co-ordinator of the following commissions on this subject:

- *Inter-Regional Study Commission "Forlì"*
Scientific Secretary: **Gualtiero Pallotti**, Pierantoni Hospital, Forlì
Set up: 1993; 10 meetings, the last of which was on 16 June 2000
Participants: about 30 Laboratories.
- *Joined Commission "SIBioC – AIPAC – SIMEL, Liguria Sections"*
Scientific Secretary:
 - **Liliana Burlando**, ex Galliera Hospital, Genoa
 - Giovanna Zaninetta, S. Martino Hospital, Genoa.

Set up: 1997; 4 meetings, the last of which was on 22 June 2000

Participants: 14 Laboratories.

■ *Study Commission "Lazio"*

Scientific Secretary: **Maria Teresa Muratore** – Civil Hospital – Viterbo

First meeting: 10 April 2001 – Participants: 11 Laboratories.

■ *Study Commission "Toscana-Umbria"*

Scientific Secretary: **Enzida Piazza** – Careggi Hospital – Florence

First meeting: 24 May 2001 – Participants: 17 Laboratories.

The Commission work is orientated towards the standardisation of various aspects of Bence Jones research and gave us the **Bence Jones controls** named:

■ *Bence Jones kappa "Lavagna" Control*

■ *Bence Jones lambda "Bellaria" Control*

available from the New Scientific Company.

The Commissions were invited to present the results of their work at the CEFAR - SIBioC meeting "Le Proteine: dal Laboratorio alla clinica" ("Proteins: from the Laboratory to the Clinic") – the most important national meeting on this subject – for the first time in 1999 in Desenzano, then in 2000 in Fiuggi and the latest in 2001 in Castrocaro.

**FREE LIGHT CHAINS LINE
PRESENTATION**

Introduction

This line is exclusive to the NSC and is the result of specific internal work. The objective of the kits is for the qualitative and/or quantitative determination of Free Light Chains in unconcentrated urine and cerebrospinal fluid.

The method is based upon the reaction of ImmunoPrecipitation in liquid phase with specific adsorbed antisera anti Free Light Chain – “Hidden” Determinants.

The turbidity produced by the reaction can be:

- *evaluated visually with suitable lighting:*
 - non-instrumental qualitative determination
The turbidity produced by the specimen is compared to that of the “Sample Blank” and to that of the calibrators with the dilution chosen as the minimum concentration retained significant (cut off).
- *measured instrumentally: turbidimetry or nephelometry:*
 - instrumental qualitative determination:
The signal produced by the specimen is compared to that produced by the Calibrators with the dilution chosen as the minimum concentration retained significant (cut off).
 - quantitative determination:
The specimen signal is interpolated into the curves obtained with the Calibrators.

Free Light Chains in Blood

By using the kits on serum and plasma, with a specific application inside the kit, technically and analytically excellent results are obtained (15); however, we must emphasise that the clinical significance of the determination of the concentration of Free Light Chains in blood is currently being studied and defined (23).

Uses

Determination of Free Light Chains has many uses:

Monoclonal Free Light Chains in urine - Bence Jones Proteinuria (BJP)

- *Protocol in the case of:*
 - clinically-suspected immunoproliferative disease such as:
 - Waldenström’s Macroglobulinemia, Multiple Myeloma, Chronic Lymphatic

- Leukaemia, primitive Amyloidosis etc.
- Serum Electrophoresis which highlights a new monoclonal band.
- laboratory data which show suspected micromolecular myeloma.
- *Follow-up in the case of:*
 - immunoproliferative disease.
 - patients with monoclonal band in serum electrophoresis but without diagnosis of immunoproliferative disease (MGUS).
- *Pre-contrastographic tests:*
The contraindications in the use of contrast media by injection include "Waldenström's Macroglobulinemia" and "Multiple Myeloma".
In order to exclude the fact that the patient may be affected by "multiple myeloma", electrophoresis of the serum protein is not sufficient but it is necessary to carry out detection of Bence Jones Protein in urine. In fact, in cases of micromolecular myeloma electrophoresis of the serum frequently shows no significant or specific alterations.

Polyclonal Free Light Chains in Urine

- *Protocol in research for hyperimmune diseases such as:*
Lupus Erythematosus, Rheumatoid Arthritis, Secondary Amyloidosis, etc.
- *Protocol in research for functionality of proximal tubule*
Here, the Free Light Chains have the same significance as that of other microglobulins.

Free Light Chains in Cerebrospinal Fluid

Protocol for research for the diagnosis and control of diseases of the Central Nervous system, such as Multiple Sclerosis and Other Inflammatory Diseases.

Test Values

The value of the test will depend upon the problem:

- *Bence Jones Protein:*
 - **diagnosis:** the test has two values:
 - *qualitative screening*
Regardless of the reason for the research, the value of the test is, above all, for qualitative screening, since the monoclonality will in any case have to be verified with Electrophoresis or

- ImmunoFixation.
 - *quantitative indication*
Quantitative determination, even though it has its limits, is useful for:
 - providing a guidance as to how much to concentrate the sample for further research
 - providing a starting point for evolution control.
 - **follow-up:** the test has a predominantly quantitative significance.
- *Polyclonal Free Light Chains in Urine:*
the test has a predominantly quantitative significance.
- *Free Light Chain in Cerebrospinal fluid:*
the test has a predominantly quantitative significance.

Applications

The application of the test can be outlined thus:

- *Qualitative:*
Screening Test under "Bence Jones Protein" research protocol.
- *Quantitative:*
 - "Bence Jones Protein" – Monoclonal Free Light Chains in urine.
 - Polyclonal Free Light Chains in urine.
 - Free Light Chains in Cerebrospinal fluid

Characteristics of the Method

- *Specificity*
Adsorbed antisera are utilised and these react exclusively with the "hidden" determinants of Free Light Chains.
The specificity is demonstrated by the absence of specific reaction when a normal human serum is used as sample.
- *Unconcentrated Sample*
An "unconcentrated" sample with no prior treatment is used.
- *Sensitivity*
It is evaluated for "internal standardisation" and the results are:
 - kit with normal sensitivity : 0.5 mg/dl
 - kit with high sensitivity (HS) : 0.2 mg/dl

Automation

Kits and operating procedures are available for:

- automatic analyzers of clinical chemistry
- “BN series” (BNA, BNII, BN ProSpec) Siemens (ex Behring) nephelometry and similar.
- “Image” Beckman nephelometry, and similar.

Quantitative Dosage

The kit calibrators allow construction of the calibrator curves in order to achieve quantitative determination.

Kits Available

The following types of kit are available:

- *kit containing mixed reagent anti Free Light Chains kappa+lambda*
 - normal sensitivity : up to 0.5 mg/dl
- *kit containing separate reagents: anti Free Light Chains kappa and lambda*
 - normal sensitivity : up to 0.5 mg/dl
 - high sensitivity (HS): up to 0.2 mg/dl

The following are available for each type:

- *ITA kits – ImmunoTurbidimetry Kit:*
 - instrumental: Photometers and Automatic Photometric Analyzers.
- *BN series kits – ImmunoNephelometry: “BN series”(BNA,BNII, BN ProSpec) Siemens (ex Dade Behring) Nephelometry, and similar.*
- *Image kits – ImmunoNephelometry: “Image” Beckman Coulter Nephelometry, and similar.*


Kit Characteristics

- *Type: all components are liquid and ready to use.*
- *Preservative: Sodium Azide < 0,1% (w/v).*
- *Stability: over 1 year at 2 - 8°C.*

All kits come complete with Calibrators–Controls. Accessory reagents are separate.

Protocol Operative in Urine - Example

The Operative Protocol which follows is an example of the utilization of the FLC kit in Urine in its initial diagnostic approach.



(*) or as defined by user

Bibliography

Note: The articles, posters and Meeting presentations are available from New Scientific Company.

| | |
|---|---|
| 1 | Abate L, Martelli M, Zannini R. Proteinuria di Bence Jones: sperimentazione di un nuovo metodo immunoturbidimetrico per la determinazione delle Catene Leggere Libere nelle urine non concentrate Biochimica Clinica, 12, 1988, p.: 1451,1457 |
| 2 | Massaro L. Metodo Immunoturbidimetrico - Immunonefelometrico per la Determinazione delle Catene Leggere Libere nelle Urine Riunione: SIBIOC / PROTEINE - Asti, 17 - 19 October 1989 |
| 3 | Migliorati T. Uso della prova di Precipitazione in Provetta per Immunoglobuline Urinarie o loro frammenti presenti in Gamopetale Monoclonali Biochimica Clinica, 13, 1989, p.: 1237-1240 |
| 4 | Massaro L. Lettera a F. Aguzzi L'Angolo dell'Elettroforesi - Biochimica Clinica, 14, 1990, p.: 70-72 |
| 5 | Alecci A, Brandini A. Amiloidosi AL o Amiloidosi AH ? Biochimica Clinica, 14, 1990, p.: 471-472 |
| 6 | Martelli M, Zannini R. Proposal of a working model for research into Bence Jones Proteinuria Poster - Proteins ecc - Padova, 16-17 Marzo 1991 |
| 7 | Valenti D, Lenzi MC, Mammini P. Ricerca qualitativa e quantitativa delle Proteine di Bence Jones Gior. It. Chim. Clin., 16, 6, 1991, p.: 403-407 |
| 8 | Massaro L. Catene Leggere Libere "pseudo-oligoclonali" in urine. Riflessioni indotte da recenti lavori Lettera a F. Aguzzi - L'Angolo dell'Elettroforesi - Biochimica Clinica, 16, 1992, p.: 1213-1215 |
| 9 | Milanesi MG et altri Commissione InterRegionale "Forlì" su Proteine di Bence Jones e Catene Leggere Libere Valutazione Multicentrica di Metodi e protocolli per le Catene Leggere Libere e Proteine di Bence Jones in urine - Primi Risultati Biochimica Clinica, 19, 1995, p.: 410-425 |

| | |
|----|--|
| 10 | Procaccianti G, Cucci A, Scaringi R, Massaro L. A New ImmunoNephelometric method for Free Light Chains assay in the Cerebrospinal Fluid of neurological patients: preliminary results European Charcot Foundation - Symposium "Body fluid markers for course and activity of disease in Multiple Sclerosis" - Madrid, 2 - 4 October, 1997 |
| 11 | Massaro L, Scaringi R. Catene Leggere Libere e Proteine di Bence Jones - Review V Edizione, Ottobre 1999 Edito da New Scientific Company |
| 12 | Gruppi di studio "Forlì" e "Liguria" su "Proteine di Bence Jones e Catene Leggere Libere" Presenta: Tizzanini W. - <i>Laboratorio Analisi - Azienda Policlinico - Modena</i> Valutazione Multicentrica di Metodi commerciali di routine per la ricerca delle Proteine di Bence Jones nelle urine Meeting SIBIOC - CEFAR "Le Proteine: dal Laboratorio alla Clinica" - VIII edizione - Desenzano, 1999 |
| 13 | Gruppi di studio "Forlì" e "Liguria" su "Proteine di Bence Jones e Catene Leggere Libere" Presenta: Tizzanini W. - <i>Laboratorio Analisi - Azienda Policlinico - Modena</i> Valutazione Multicentrica di Metodi commerciali di routine per la ricerca delle Proteine di Bence Jones nelle urine Meeting SIBIOC - CEFAR "Le Proteine: dal Laboratorio alla Clinica" - IX edizione - Fuggi, 2000 |
| 14 | Regeniter A ^a , Siede WH. ^b (a) <i>Presenting autor: Central Laboratory, Kantonsspital Basel, Switzerland</i> (b) <i>Author for correspondence: Central Laboratory, Klinikum Lippe-Lemgo, Lemgo, Germany</i> Evaluation and Presentation of laboratory Results in Patients suspected of a monodonal Gammopathy: The value of free light chains in Bence Jones Testing (abstract) Meeting SIBIOC - CEFAR "Proteins: from the Laboratory to the Clinic" - X edition - Castrocaro 2001 |
| 15 | Quinzanini M. <i>Servizio di Reumatologia Immunologia ed Allergologia - Azienda Ospedaliera "Spedali Civili" di Brescia</i> ImmunoNephelometric Determination of Free Light Chains of Immunoglobulins in Urine for the Detection of Bence Jones Proteins, and Comparison with Immunofixation Meeting SIBIOC - CEFAR "Proteins: from the Laboratory to the Clinic" - X edition - Castrocaro 2001 |
| 16 | Gruppi di Studio su "Catene Leggere Libere e Proteine di Bence Jones": Forlì, Liguria, Lazio, Toscana-Umbria Presenta: Tizzanini W. - <i>Laboratorio Analisi - Azienda Policlinico - Modena</i> Multi-Centre Evaluation of Routine Commercial Methods for the Detection of Bence Jones Proteins in Urine - 2001 Results Meeting SIBIOC - CEFAR "Proteins: from the Laboratory to the Clinic" - X edition - Castrocaro 2001 |
| 17 | Burlando L. <i>Già Laboratorio Analisi - Ospedale Galliera - Genova</i> The Detection of Bence Jones Proteins - A Review from the Records of the Ospedali Galliera, Genoa Meeting SIBIOC - CEFAR "Proteins: from the Laboratory to the Clinic" - X edition - Castrocaro 2001 |

- Viedma JA.
Hospital General & Universitario – Elche (Alicante), Spain
- 18 **Monoclonal and Polyclonal Immunoglobulin Free Light Chains (FLC) detection in urine**
Meeting SIBioC - CEFAR “**Proteins: from the Laboratory to the Clinic**” - X edition - Castrocaro 2001
-
- Siede WH ^a, Regeniter A. ^b
(a) Presenting Author: Central Laboratory, Klinikum Lippe-Lemgo, Lemgo, Germany
(b) Author for correspondence: Central Laboratory, Kantonsspital Basel, Switzerland
- 19 **Proteinuria – Diagnostics and Interpretation with Marker Proteins - Computerising Processing and report (“MDI–LabLink”)**
Meeting SIBioC - CEFAR “**Proteins: from the Laboratory to the Clinic**” - X edition - Castrocaro 2001
-
- Quiñones-Torrel C, Del Valle-Pérez R, González-Ovelar M, Jarabo-Bueno MM, Díaz-Ruiz M, Montagud-Palau A, González-Monleón L, Marco-López P.
Immunochemistry Section. Clinical Analysis Department. “Dr. Peset” University Hospital. Valencia (Spain)
- 20 **Evaluation of an ImmunoFixation Electrophoresis selective method for Bence Jones Proteinuria Identification**
EUROMEDLAB Barcelona 2003 - 15th European Congress of Clinical Chemistry and Laboratory Medicine
22nd National Congress of the Spanish Society of Clinical Biochemistry and Molecular Pathology
-
- García-Vitoria, M.; Cortina, A.; Iglesias, N.; Hernández, M.; García-Guantes, E.; Besalú, C.; Galimany, R.; Rodrigo, MJ.
Laboratoris Clínicas, Hospital Vall d’Hebron, Barcelona. Spain
- 21 **ImmunoNephelometric Determination of Free Light Chains in Urine as Screening for the Detection of Bence Jones Proteinuria**
EUROMEDLAB Barcelona 2003 - 15th European Congress of Clinical Chemistry and Laboratory Medicine
22nd National Congress of the Spanish Society of Clinical Biochemistry and Molecular Pathology
-
- Quinzanini M.
Department of Rheumatology, Immunology & Allergology, Azienda Ospedaliera “Spedali Civili”, Brescia, Italy
- 22 **ImmunoNephelometric Determination of Free Light Chains of Immunoglobulins in Urine for the Detection of Bence Jones Proteins, and Comparison with Immunofixation**
EUROMEDLAB Barcelona 2003 - 15th European Congress of Clinical Chemistry and Laboratory Medicine
22nd National Congress of the Spanish Society of Clinical Biochemistry and Molecular Pathology
-
- Tate JR¹, Gill D, Cobcroft R², Hickmann P²
¹Chemical Pathology and ²Haematology Departments, Queensland Health Pathology Service, Princess Alexandra Hospital, Woolloongabba, Queensland, Australia
- 23 **Practical Consideration for the Measurement of Free Light Chains in serum**
Clinical Chemistry 49;6 1252 – 1257 (2003)

FREE LIGHT CHAINS LINE CATALOGUE - PRICE LIST

ImmunoTurbidimetry ITA CE

These kits are for the determination of Free Light Chains with the ImmunoTurbidimetric method on automatic biochemistry analyzers.

Kit

| Product | Pack | Code | Euro |
|---|------------------|----------------------|-----------------|
| Free Light Chain Kit Separate Reagents | 70 + 70 tests(*) | K.ITA.FRK.FRL | 1.057,00 |

The kit contains:

- Antiserum Reagent anti:
 - Free Light Chains kappa 1 x 18 ml R.ITA.FRK
 - Free Light Chains lambda 1 x 18 ml R.ITA.FRL
- Calibrators - Controls:
 - Free Light Chains kappa 1 x 1 ml W.UPC.FRK
 - Free Light Chains lambda 1 x 1 ml W.UPC.FRL

| | | | |
|---|-------------|------------------|-----------------|
| Free Light Chain Kit "Mixed" Reagent | 70 tests(*) | K.ITA.FKL | 1.008,00 |
|---|-------------|------------------|-----------------|

The kit contains:

- Antiserum reagent "Mixed" anti:
 - Free Light Chains kappa+lambda 1 x 18 ml R.ITA.FKL
- Calibrators - Controls:
 - Free Light Chains kappa+lambda 1 x 1 ml W.UPC.FKL

| | | | |
|--|------------------|-------------------------|-------------------|
| Free Light Chains Kit High Sensitivity (HS) | 40 + 40 tests(*) | K.ITA.FRK.FRL.HS | on request |
|--|------------------|-------------------------|-------------------|

The kit contains:

- Antiserum Reagent HS anti:
 - Free Light Chains kappa 1 x 10 ml R.ITA.FRK.HS
 - Free Light Chains lambda 1 x 10 ml R.ITA.FRL.HS
- Calibrators - Controls:
 - Free Light Chains kappa 1 x 1 ml W.UPC.FRK
 - Free Light Chains lambda 1 x 1 ml W.UPC.FRL

Accessory Reagents

| | | | |
|----------------------------------|-----------|------------------|---------------|
| Reagent Without Antiserum | 1 x 20 ml | R.ITA.RWA | 219,00 |
| Sample Diluent | 1 x 20 ml | R.ITA.SDA | 219,00 |

Calibrators - Prediluted Calibrator Sets - Controls

See relative chapter, page 23

Key (*) the number of tests is evaluated utilizing 250µl/test

ImmunoTurbidimetry ITAN €€

These kits are for the determination of Free Light Chains with the ImmunoTurbidimetric method on [some automatic biochemistry analyzers](#).

Kits

| Product | Pack | Code | Euro |
|---|------------------|-----------------------|-----------------|
| Free Light Chain Kit Separate Reagents | 100+100 tests(*) | K.ITAN.FRK.FRL | 1.493,00 |

The kit contains:

- Antiserum Reagent anti:
 - Free Light Chains kappa 1 x 15 ml R.ITAN.FRK
 - Free Light Chains lambda 1 x 15 ml R.ITAN.FRL
- Calibrators - Controls:
 - Free Light Chains kappa 1 x 1 ml W.UPC.FRK
 - Free Light Chains lambda 1 x 1 ml W.UPC.FRL

| | | | |
|---|--------------|-------------------|-----------------|
| Free Light Chain Kit "Mixed" Reagent | 100 tests(*) | K.ITAN.FKL | 1.493,00 |
|---|--------------|-------------------|-----------------|

The kit contains:

- Antiserum reagent "Mixed" anti:
 - Free Light Chains kappa+lambda 1 x 15 ml R.ITAN.FKL
- Calibrators - Controls:
 - Free Light Chains kappa+lambda 1 x 1 ml W.UPC.FKL

| | | | |
|--|----------------|--------------------------|-------------------|
| Free Light Chains Kit High Sensitivity (HS) | 50+50 tests(*) | K.ITAN.FRK.FRL.HS | on request |
|--|----------------|--------------------------|-------------------|

The kit contains:

- Antiserum Reagent HS anti:
 - Free Light Chains kappa 1 x 7,5 ml R.ITAN.FRK.HS
 - Free Light Chains lambda 1 x 7,5 ml R.ITAN.FRL.HS
- Calibrators - Controls:
 - Free Light Chains kappa 1 x 1 ml W.UPC.FRK
 - Free Light Chains lambda 1 x 1 ml W.UPC.FRL

Accessory Reagents

| | | | |
|----------------------------------|-----------|------------------|---------------|
| Reagent Without Antiserum | 1 x 20 ml | R.ITA.RWA | 219,00 |
| Sample Diluent | 1 x 20 ml | R.ITA.SDA | 219,00 |

Calibrators - Prediluted Calibrator Sets - Controls

See relative chapter, page 23

Key (*) the number of tests is evaluated utilizing 150µl/test

ImmunoNephelometry IMG €€

These kits are for the determination of Free Light Chains in urine and serum on "Beckman Coulter" "Image" Nephelometer.

Kits

| Product | Pack | Code | Euro |
|---|-----------------|----------------------|-----------------|
| Free Light Chain Kit Separate Reagents | 100 + 100 tests | K.IMG.FRK.FRL | 1.493,00 |

The kit contains:

- Antiserum Reagent anti:
 - Free Light Chains kappa 1 x 2,4 ml R.IMG.FRK
 - Free Light Chains lambda 1 x 2,4 ml R.IMG.FRL
- Calibrators - Controls:
 - Free Light Chains kappa 1 x 1 ml W.UPC.FRK
 - Free Light Chains lambda 1 x 1 ml W.UPC.FRL
- Accessory Reagent "B"
 - for Compartment "B" 1 x 3 ml R.IMG.FLC.B

| | | | |
|---|-----------|------------------|-----------------|
| Free Light Chain Kit "Mixed" Reagent | 100 tests | K.IMG.FKL | 1.493,00 |
|---|-----------|------------------|-----------------|

The kit contains:

- Antiserum reagent "Mixed" anti:
 - Free Light Chains kappa+lambda 1 x 2,4 ml R.IMG.FKL
- Calibrators - Controls:
 - Free Light Chains kappa+lambda 1 x 1 ml W.UPC.FKL
- Accessory Reagent "B"
 - for Compartment "B" 1 x 3 ml R.IMG.FLC.B

| | | | |
|--|---------------|-------------------------|-------------------|
| Free Light Chains Kit High Sensitivity (HS) | 40 + 40 tests | K.IMG.FRK.FRL.HS | on request |
|--|---------------|-------------------------|-------------------|

The kit contains:

- Antiserum Reagent HS anti:
 - Free Light Chains kappa 1 x 2,4 ml R.IMG.FRK.HS
 - Free Light Chains lambda 1 x 2,4 ml R.IMG.FRL.HS
- Calibrators - Controls:
 - Free Light Chains kappa 1 x 1 ml W.UPC.FRK
 - Free Light Chains lambda 1 x 1 ml W.UPC.FRL
- Accessory Reagent "B"
 - for Compartment "B" 1 x 3 ml R.IMG.FLC.B

Calibrators - Prediluted Calibrator Sets - Controls

See relative chapter, page 23

ImmunoNephelometry BN



These kits are for the determination of Free Light Chains on "Siemens" (ex "Dade Behring") "BN™ series" Nephelometers: BNA, BNII, BN ProSpec and similar.

Kits

| Product | Pack | Code | Euro |
|---|--------------------|----------------------|-----------------|
| Free Light Chain Kit Separate Reagents | 100 + 100 tests | K.BNA.FRK.FRL | 1.493,00 |

The kit contains:

- Antiserum Reagent anti:
 - Free Light Chains kappa 1 x 4 ml R.BNA.FRK
 - Free Light Chains lambda 1 x 4 ml R.BNA.FRL
- Calibrators - Controls:
 - Free Light Chains kappa 1 x 1 ml W.UPC.FRK
 - Free Light Chains lambda 1 x 1 ml W.UPC.FRL

| | | | |
|---|-----------|------------------|-----------------|
| Free Light Chain Kit "Mixed" Reagent | 100 tests | K.BNA.FKL | 1.493,00 |
|---|-----------|------------------|-----------------|

The kit contains:

- Antiserum reagent "Mixed" anti:
 - Free Light Chains kappa+lambda 1 x 4 ml R.BNA.FKL
- Calibrators - Controls:
 - Free Light Chains kappa+lambda 1 x 1 ml W.UPC.FKL

| | | | |
|--|------------------|-------------------------|-------------------|
| Free Light Chains Kit High Sensitivity (HS) | 40 + 40 tests | K.BNA.FRK.FRL.HS | on request |
|--|------------------|-------------------------|-------------------|

The kit contains:

- Antiserum Reagent HS anti:
 - Free Light Chains kappa 1 x 4 ml R.BNA.FRK.HS
 - Free Light Chains lambda 1 x 4 ml R.BNA.FRL.HS
- Calibrators - Controls:
 - Free Light Chains kappa 1 x 1 ml W.UPC.FRK
 - Free Light Chains lambda 1 x 1 ml W.UPC.FRL

Calibrators - Prediluted Calibrator Sets - Controls

See relative chapter, page 23

Calibrators - Prediluted Calibrator Sets - Controls



This product line is for use as Calibrator and Controls in the determination of Free Light Chains carried out with NSC's Free Light Chain kits.

Calibrators

| Product | Pack | Code | Euro |
|--|----------|------------------|---------------|
| Free Light Chain kappa | 1 x 1 ml | W.UPC.FRK | 106,00 |
| Free Light Chain lambda | 1 x 1 ml | W.UPC.FRL | 106,00 |
| Free Light Chain kappa+lambda "mixed" | 1 x 1 ml | W.UPC.FKL | 106,00 |

Prediluted Calibrator Sets

| | | | |
|--|-----------|--------------------------|---------------|
| Prediluted Calibrators Free kappa and free lambda | 10 x 1 ml | W.SET.UPC.FRK.FRL | 287,00 |
|--|-----------|--------------------------|---------------|

- Prediluted Calibrator set Free kappa 5 x 1 ml W.SET.UPC.FRK
- Prediluted Calibrator set Free lambda 5 x 1 ml W.SET.UPC.FRL

| | | | |
|---|----------|----------------------|---------------|
| Prediluted Calibrators Free kappa + lambda "mixed" | 5 x 1 ml | W.SET.UPC.FKL | 145,00 |
|---|----------|----------------------|---------------|

Controls

| | | | |
|--|----------|------------------|--------------|
| Control Free Light Chain kappa | 1 x 1 ml | Y.UPR.FRK | 67,00 |
| Control Free Light Chain lambda | 1 x 1 ml | Y.UPR.FRL | 67,00 |

| | | | |
|--|----------|-----------------------|---------------|
| Control Free Light Chain kappa-medium value | 1 x 3 ml | Y.UPR.FRK.MV-3 | 196,00 |
| Control Free Light Chain kappa-low value | 1 x 3 ml | Y.UPR.FRK.LV-3 | 313,00 |

| | | | |
|---|----------|-----------------------|---------------|
| Control Free Light Chain lambda-medium value | 1 x 3 ml | Y.UPR.FRL.MV-3 | 196,00 |
| Control Free Light Chain lambda-low value | 1 x 3 ml | Y.UPR.FRL.LV-3 | 313,00 |

***OTHER PROTEINS
CATALOGUE - PRICE LIST***

ImmunoNephelometry IMG



These kits are for use on “Beckman Coulter” “Image” Nephelometer.

Complete Kits and Separate reagents are available.

Complete Kits

| <i>Product</i> | <i>Pack</i> | <i>Code</i> | <i>Euro</i> |
|--|-------------|--------------------|---------------|
| Retinol Binding Protein (RBP) - Serum | 100 tests | K.IMG.RBP-S | 744,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti Retinol Binding Protein | 1 x 3,5 ml | R.IMG.RBP-S | |
| ▪ Accessory Reagent for Compartment “B” | 1 x 1 ml | R.IMG.RBP-B | |
| ▪ Calibrator - Retinol Binding Protein | 1 x 1 ml | W.SPC.RBP | |
| ▪ Controls: | | | |
| ▪ Retinol Binding Protein - serum - Medium value | 1 x 1 ml | Y.SPR.RBP.MV | |
| ▪ Retinol Binding Protein - serum - Low value | 1 x 1 ml | Y.SPR.RBP.LV | |
| Retinol Binding Protein (RBP) - Urine | 100 tests | K.IMG.RBP-U | 890,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti Retinol Binding Protein | 1 x 4,7 ml | R.IMG.RBP-U | |
| ▪ Accessory Reagent for Compartment “B” | 1 x 1 ml | R.IMG.RBP-B | |
| ▪ Calibrator - Retinol Binding Protein | 1 x 1 ml | W.SPC.RBP | |
| ▪ Controls: | | | |
| ▪ Retinol Binding Protein - urine - Medium value | 1 x 1 ml | Y.UPR.RBP.MV | |
| ▪ Retinol Binding Protein - urine - Low value | 1 x 1 ml | Y.UPR.RBP.LV | |
| Complement C1 (esterase) inhibitor (CEI) | 100 tests | K.IMG.CEI | 375,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti C1 (esterase) inhibitor | 1 x 2,4 ml | R.IMG.CEI | |
| ▪ Calibrator - Complement System Proteins | 1 x 1 ml | W.SPC.CS1 | |
| ▪ Controls: | | | |
| ▪ Complement System Proteins - Medium value | 1 x 1 ml | Y.SPR.CS1.MV | |
| ▪ Complement System Proteins - Low value | 1 x 1 ml | Y.SPR.CS1.LV | |
| Complement C1q | 100 tests | K.IMG.C1Q | 496,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti C1q | 1 x 3,5 ml | R.IMG.C1Q | |
| ▪ Calibrator - Complement System Proteins | 1 x 1 ml | W.SPC.CS1 | |
| ▪ Controls: | | | |
| ▪ Complement System Proteins - Medium value | 1 x 1 ml | Y.SPR.CS1.MV | |
| ▪ Complement System Proteins - Low value | 1 x 1 ml | Y.SPR.CS1.LV | |

ImmunoNephelometry IMG €€

Reagent Kits

| Product | Pack | Code | Euro |
|---|------------|---------------------|-----------------|
| Retinol Binding Protein (RBP) - Serum | 100 tests | KR.IMG.RBP-S | 529,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti Retinol Binding Protein | 1 x 3,5 ml | R.IMG.RBP-S | |
| ▪ Accessory Reagent for Compartment "B" | 1 x 1 ml | R.IMG.RBP.B | |
| Retinol Binding Protein (RBP) - Urine | 100 tests | KR.IMG.RBP-U | 702,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti Retinol Binding Protein | 1 x 4,7 ml | R.IMG.RBP-U | |
| ▪ Accessory Reagent for Compartment "B" | 1 x 1 ml | R.IMG.RBP.B | |
| Complement C1 (esterase) inhibitor (CEI) | 100 tests | KR.IMG.CEI | 138,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti C1 (esterase) inhibitor | 1 x 2,4 ml | R.IMG.CEI | |
| Complement C1q | 100 tests | KR.IMG.C1Q | 252,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti C1q | 1 x 3,5 ml | R.IMG.C1Q | |
| Soluble Transferrin Receptor (sTfR) | 160 tests | KR.IMG.STFR | 1.620,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti soluble Transferrin Receptor | 2 x 4,4 ml | R.IMG.STFR | |
| ▪ Accessory Reagent for Compartment "B" | 2 x 18 ml | R.IMG.STFR.B | |

Calibrators - Prediluted Calibrator Sets - Controls

See relative chapter, page 30

ImmunoNephelometry BN €€

These kits are for use on "Siemens" (ex "Dade Behring") "BN™ series" Nephelometers: BNA, BN100, BNII, BN ProSpec and similar.

Complete Kits and Separate reagents are available.

Complete Kits

| Product | Pack | Code | Euro |
|--|-----------|--------------------|---------------|
| Properdin factor B (GBG) (PFB - C3PA) | 100 tests | K.BNA.GBG-2 | 662,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti Properdin factor B | 1 x 4 ml | R.BNA.GBG | |
| ▪ Calibrator - Complement System Proteins | 1 x 1 ml | W.SPC.CS1 | |
| ▪ Controls: | | | |
| ▪ Complement System Proteins - Medium value | 1 x 1 ml | Y.SPR.CS1.MV | |
| ▪ Complement System Proteins - Low value | 1 x 1 ml | Y.SPR.CS1.MV | |
| Complement C1q | 50 tests | K.BNA.C1Q | 520,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti C1q | 1 x 2 ml | R.BNA.C1Q | |
| ▪ Calibrator - Complement System Proteins | 1 x 1 ml | W.SPC.CS1 | |
| ▪ Controls: | | | |
| ▪ Complement System Proteins - Medium value | 1 x 1 ml | Y.SPR.CS1.MV | |
| ▪ Complement System Proteins - Low value | 1 x 1 ml | Y.SPR.CS1.MV | |

Reagent Kits

| Product | Pack | Code | Euro |
|--|-----------|---------------------|---------------|
| Properdin factor B (GBG) (PFB - C3PA) | 100 tests | KR.BNA.GBG-2 | 450,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti Properdin factor B | 1 x 4 ml | R.BNA.GBG | |
| Complement C1q | 50 tests | KR.BNA.C1Q | 297,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti C1q | 1 x 2 ml | R.BNA.C1Q | |

Calibrators - Prediluted Calibrator Sets - Controls

See relative chapter, page 30

Calibrators - Prediluted Calibrator Sets - Controls



Calibrators

| Product | Pack | Code | Euro |
|--|----------|------------------|---------------|
| Retinol Binding Protein (RBP) - Siero/Urine | 1 x 1 ml | W.SPC.RBP | 123,00 |
| Complement System Proteins | 1 x 1 ml | W.SPC.CS1 | 97,00 |

Prediluted Calibrator Sets

| Product | Pack | Code | Euro |
|--|----------|-----------------------|---------------|
| Retinol Binding Protein (RBP) - Siero/Urine | 5 x 1 ml | W.SET.SPC.RBP | 356,00 |
| Complement System Proteins | 5 x 1 ml | W.SET.SPC.CS1 | 286,00 |
| Soluble Transferrin Receptor (sTfR) | 6 x 1 ml | W.SET.SPC.STFR | 633,00 |

Controls

| Product | Pack | Code | Euro |
|--------------------------------------|----------|---------------------|---------------|
| Retinol Binding Protein (RBP) | | | |
| Serum - Medium Value | 1 x 1 ml | Y.SPR.RBP.MV | 123,00 |
| Serum - Low Value | 1 x 1 ml | Y.SPR.RBP.LV | 123,00 |
| Urins - Medium Value | 1 x 1 ml | Y.UPR.RBP.MV | 123,00 |
| Urins Low Value | 1 x 1 ml | Y.UPR.RBP.LV | 123,00 |
| Complement System Proteins | | | |
| Medium Value | 1 x 1 ml | Y.SPR.CS1.MV | 97,00 |
| Low Value | 1 x 1 ml | Y.SPR.CS1.LV | 97,00 |

Retinol Binding Protein (RBP)

| | | | |
|----------------------|----------|-----------------------|---------------|
| Serum - Medium Value | 1 x 3 ml | Y.SPR.RBP.MV-3 | 361,00 |
| Serum - Low Value | 1 x 3 ml | Y.SPR.RBP.LV-3 | 361,00 |
| Urins - Medium Value | 1 x 3 ml | Y.UPR.RBP.MV-3 | 361,00 |
| Urins - Low Value | 1 x 3 ml | Y.UPR.RBP.LV-3 | 361,00 |

Complement System Proteins

| | | | |
|--------------|----------|-----------------------|---------------|
| Medium Value | 1 x 3 ml | Y.SPR.CS1.MV-3 | 288,00 |
| Low Value | 1 x 3 ml | Y.SPR.CS1.LV-3 | 288,00 |

Calibrators - Prediluted Calibrator Sets - Controls



Soluble Transferrin Receptor (sTfR)

| | | | |
|------------|----------|----------------------|---------------|
| High Value | 1 x 1 ml | Y.SPR.STFR.HV | 124,00 |
| Low Value | 1 x 1 ml | Y.SPR.STFR.LV | 124,00 |

NEW SCIENTIFIC COMPANY ESPAÑA
(NSCe)
KITS

ImmunoNephelometry IMG



These kits are for use on "Beckman Coulter" "Image" Nephelometer.

Complete Kits and Separate reagents are available.

Complete Kits

| Product | Pack | Code | Euro |
|-----------------------------|-----------|-----------------------|---------------|
| Beta-2 Microglobulin | 100 tests | 843654638 3826 | 325,00 |

The kit contains:

- Antiserum Reagent Latex anti Beta-2 Microglobulin 1 x 3,5 ml
- Calibrator Set - Beta-2 Microglobulin 6 x 1 ml
- Controls:
 - Beta-2 Microglobulin - High value 1 x 1 ml
 - Beta-2 Microglobulin - Low value 1 x 1 ml

| | | | |
|----------------------|-----------|-----------------------|---------------|
| C5 Complement | 100 tests | 843654638 3833 | 550,00 |
|----------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent anti C5 Complement 1 x 3,5 ml
- Accessory Reagent for C5 Complement 1 x 1,5 ml
- Calibrator Set - C5 Complement 6 x 1 ml
- Controls:
 - C5 Complement - High value 1 x 1 ml
 - C5 Complement - Low value 1 x 1 ml

| | | | |
|-------------------|-----------|-----------------------|---------------|
| Cystatin C | 100 tests | 843654638 3840 | 700,00 |
|-------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent Latex anti Cystatin C 1 x 4,5 ml
- Calibrator Set - Cystatin C 6 x 1 ml
- Controls:
 - Cystatin C - High value 1 x 1 ml
 - Cystatin C - Low value 1 x 1 ml

| | | | |
|------------------|-----------|-----------------------|---------------|
| Hemopexin | 100 tests | 843654638 3857 | 550,00 |
|------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent anti Hemopexin 1 x 4 ml
- Accessory Reagent for Hemopexin 1 x 1,5 ml
- Calibrator Set - Hemopexin 6 x 1 ml
- Controls:
 - Hemopexin - High value 1 x 1 ml
 - Hemopexin - Low value 1 x 1 ml

ImmunoNephelometry IMG

**IgD Immunoglobulins**

100 tests **843654638 3864** **825,00**

The kit contains:

- Antiserum Reagent anti IgD Immunoglobulins 1 x 3,5 ml
- Accessory Reagent for IgD Immunoglobulins 1 x 1,5 ml
- Calibrator Set - IgD Immunoglobulins 6 x 1 ml
- Controls:
 - IgD Immunoglobulins - High value 1 x 1 ml
 - IgD Immunoglobulins - Low value 1 x 1 ml

ImmunoNephelometry IMG



Reagent Kits

| Product | Pack | Code | Euro |
|---|------------|-----------------------|---------------|
| Beta-2 Microglobulin | 100 tests | 843654638 4823 | 200,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent Latex anti Beta-2 Microglobulin | 1 x 3,5 ml | | |
| C5 Complement | 100 tests | 843654638 4830 | 400,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti C5 Complement | 1 x 3,5 ml | | |
| ▪ Accessory Reagent for C5 Complement | 1 x 1,5 ml | | |
| Cystatin C | 100 tests | 843654638 4847 | 500,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent Latex anti Cystatin C | 1 x 4,5 ml | | |
| Hemopexin | 100 tests | 843654638 4854 | 400,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti Hemopexin | 1 x 4 ml | | |
| ▪ Accessory Reagent for Hemopexin | 1 x 1,5 ml | | |
| IgD Immunoglobulins | 100 tests | 843654638 4861 | 450,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti IgD Immunoglobulins | 1 x 3,5 ml | | |
| ▪ Accessory Reagent for IgD Immunoglobulins | 1 x 1,5 ml | | |

Calibrators - Prediluted Calibrator Sets - Controls

See relative chapter, page 40-41

ImmunoTurbidimetry - Dimension



These kits are for use on "Siemens Healthcare" "Dimension" clinical chemistry analyzers.

Reagent Kits

| Product | Pack | Code | Euro |
|---|------------|-----------------------|---------------|
| Anti-Streptolysin O | 100 tests | 843654638 5417 | 250,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent Latex anti Anti-Streptolysin O | 2 x 3 ml | | |
| ▪ Buffer | 2 x 18 ml | | |
| Beta-2 Microglobulin | 100 tests | 843654638 5448 | 350,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent Latex anti Beta-2 Microglobulin | 2 x 3,5 ml | | |
| ▪ Buffer | 2 x 20 ml | | |
| Cystatin C | 100 tests | 843654638 5455 | 600,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent Latex anti Cystatin C | 2 x 4 ml | | |
| ▪ Buffer | 2 x 21 ml | | |
| Micro Albumin | 100 tests | 843654638 5424 | 250,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent anti Micro Albumin | 2 x 4 ml | | |
| ▪ Buffer | 2 x 18 ml | | |
| Rheumatoid Factors | 100 tests | 843654638 5431 | 250,00 |
| <i>The kit contains:</i> | | | |
| ▪ Antiserum Reagent Latex anti Rheumatoid Factors | 2 x 3 ml | | |
| ▪ Buffer | 2 x 18 ml | | |

ImmunoTurbidimetry



These kits are for the determination with the ImmunoTurbidimetric method on automatic clinical chemistry analyzers.

Reagent Kits

| Product | Pack | Code | Euro |
|--------------------------------------|-----------|-----------------------|---------------|
| Alpha-2 Macroglobulin (urine) | 100 tests | 843654638 5615 | 400,00 |

The kit contains:

- Antiserum Reagent anti Alpha-2 Macroglobulin 1 x 4 ml
- Buffer 1 x 25 ml

| | | | |
|--------------------------------|-----------|-----------------------|---------------|
| C1 (Esterase) Inhibitor | 100 tests | 843654638 5622 | 400,00 |
|--------------------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent anti C1 (Esterase) Inhibitor 1 x 2,4 ml
- Buffer 1 x 25 ml

| | | | |
|-----------------------|-----------|-----------------------|---------------|
| C1q Complement | 100 tests | 843654638 5639 | 400,00 |
|-----------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent anti C1q Complement 1 x 3,5 ml
- Buffer 1 x 25 ml

| | | | |
|----------------------|-----------|-----------------------|---------------|
| C5 Complement | 100 tests | 843654638 5646 | 400,00 |
|----------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent anti C5 Complement 1 x 3,5 ml
- Buffer 1 x 25 ml

| | | | |
|-----------------------------------|-----------|-----------------------|---------------|
| Factor B (C3 Proactivator) | 100 tests | 843654638 5653 | 400,00 |
|-----------------------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent anti Factor B (C3 Proactivator) 1 x 4 ml
- Buffer 1 x 25 ml

| | | | |
|------------------|-----------|-----------------------|---------------|
| Hemopexin | 100 tests | 843654638 5660 | 400,00 |
|------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent anti Hemopexin 1 x 4 ml
- Buffer 1 x 25 ml

| | | | |
|-------------------------------------|-----------|-----------------------|---------------|
| Kappa (B&F) Light Chains | 100 tests | 843654638 5677 | 400,00 |
|-------------------------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent anti Kappa (B&F) Light Chains 1 x 5 ml
- Buffer 1 x 25 ml

| | | | |
|--------------------------------------|-----------|-----------------------|---------------|
| Lambda (B&F) Light Chains | 100 tests | 843654638 5684 | 400,00 |
|--------------------------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent anti Lambda (B&F) Light Chains 1 x 5 ml
- Buffer 1 x 25 ml

ImmunoTurbidimetry Latex



These kits are for the determination with the ImmunoTurbidimetric method on automatic clinical chemistry analyzers.

Reagent Kits

| Product | Pack | Code | Euro |
|--------------------------------------|-----------|-----------------------|---------------|
| Alpha-1 Microglobulin (urine) | 100 tests | 843654638 5714 | 400,00 |

The kit contains:

- Antiserum Reagent Latex anti Alpha-1 Microglobulin 1 x 6 ml
- Buffer 1 x 25 ml

| | | | |
|-----------------------------|-----------|-----------------------|---------------|
| Beta-2 Microglobulin | 100 tests | 843654638 5721 | 200,00 |
|-----------------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent Latex anti Beta-2 Microglobulin 1 x 3,5 ml
- Buffer 1 x 24 ml

| | | | |
|-------------------|-----------|-----------------------|---------------|
| Cystatin C | 100 tests | 843654638 5738 | 500,00 |
|-------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent Latex anti Cystatin C 1 x 4,5 ml
- Buffer 1 x 21 ml

| | | | |
|----------------------------|-----------|-----------------------|---------------|
| IgE Immunoglobulins | 100 tests | 843654638 5745 | 400,00 |
|----------------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent Latex anti IgE Immunoglobulins 1 x 7,5 ml
- Buffer 1 x 20 ml

| | | | |
|--|-----------|-----------------------|---------------|
| Retinol Binding Protein (serum+urine) | 100 tests | 843654638 5752 | 400,00 |
|--|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent Latex anti Retinol Binding Protein 1 x 6 ml
- Buffer 1 x 21 ml

| | | | |
|-------------------------------------|-----------|-----------------------|---------------|
| Soluble Transferrin Receptor | 100 tests | 843654638 5769 | 600,00 |
|-------------------------------------|-----------|-----------------------|---------------|

The kit contains:

- Antiserum Reagent Latex anti Soluble Transferrin Receptor 1 x 5 ml
- Buffer 1 x 21 ml

Calibrators - Prediluted Calibrator Sets - Controls



Calibrators

| Product | Pack | Code | Euro |
|--------------------------------------|----------|-----------------------|---------------|
| <i>Alpha-1 Microglobulin (urine)</i> | 1 x 1 ml | 843654638 8319 | 150,00 |
| <i>Alpha-2 Macroglobulin (urine)</i> | 1 x 1 ml | 843654638 8326 | 150,00 |
| <i>Anti-Streptolysin O</i> | 1 x 1 ml | 843654638 8333 | 150,00 |
| <i>Light Chains</i> | 1 x 1 ml | 843654638 8456 | 150,00 |
| <i>Micro Albumin (urine)</i> | 1 x 1 ml | 843654638 8463 | 150,00 |
| <i>Rheumatoid Factors</i> | 1 x 1 ml | 843654638 8494 | 150,00 |

Prediluted Calibrator Sets

| Product | Pack | Code | Euro |
|--|----------|-----------------------|---------------|
| <i>Beta-2 Microglobulin</i> | 6 x 1 ml | 843654638 8340 | 200,00 |
| <i>Beta-2 Microglobulin (urine)</i> | 6 x 1 ml | 843654638 8357 | 300,00 |
| <i>C1 (Esterase) Inhibitor</i> | 6 x 1 ml | 843654638 8364 | 275,00 |
| <i>C1q Complement</i> | 6 x 1 ml | 843654638 8371 | 275,00 |
| <i>C5 Complement</i> | 6 x 1 ml | 843654638 8388 | 275,00 |
| <i>Cystatin C</i> | 6 x 1 ml | 843654638 8395 | 200,00 |
| <i>Cystatin C (urine)</i> | 6 x 1 ml | 843654638 8401 | 300,00 |
| <i>Factor B (C3 Proactivator)</i> | 5 x 1 ml | 843654638 8418 | 275,00 |
| <i>Hemopexin</i> | 6 x 1 ml | 843654638 8425 | 275,00 |
| <i>IgD Immunoglobulins</i> | 6 x 1 ml | 843654638 8432 | 425,00 |
| <i>IgE Immunoglobulins</i> | 6 x 1 ml | 843654638 8449 | 275,00 |
| <i>Retinol Binding Protein</i> | 6 x 1 ml | 843654638 8470 | 350,00 |
| <i>Retinol Binding Protein (urine)</i> | 6 x 1 ml | 843654638 8487 | 450,00 |

Calibrators - Prediluted Calibrator Sets - Controls



Controls

| Product | Pack | Code | Euro |
|--------------------------------------|----------|-----------------------|---------------|
| <i>Alpha-1 Microglobulin (urine)</i> | 1 x 1 ml | 843654638 9705 | 150,00 |
| <i>Alpha-2 Macroglobulin (urine)</i> | 1 x 1 ml | 843654638 9712 | 150,00 |

Controls Sets

| Product | Pack | Code | Euro |
|--|----------|-----------------------|---------------|
| <i>Anti-Streptolysin O</i> | 1 + 1 ml | 843654638 9729 | 250,00 |
| <i>Beta-2 Microglobulin</i> | 1 + 1 ml | 843654638 9736 | 200,00 |
| <i>Beta-2 Microglobulin (urine)</i> | 1 + 1 ml | 843654638 9743 | 300,00 |
| <i>C1 (Esterase) Inhibitor</i> | 1 + 1 ml | 843654638 9750 | 200,00 |
| <i>C1q Complement</i> | 1 + 1 ml | 843654638 9767 | 200,00 |
| <i>C5 Complement</i> | 1 + 1 ml | 843654638 9774 | 200,00 |
| <i>Cystatin C</i> | 1 + 1 ml | 843654638 9781 | 200,00 |
| <i>Cystatin C (urine)</i> | 1 + 1 ml | 843654638 9798 | 300,00 |
| <i>Factor B (C3 Proactivator)</i> | 1 + 1 ml | 843654638 9804 | 200,00 |
| <i>Hemopexin</i> | 1 + 1 ml | 843654638 9811 | 200,00 |
| <i>IgD Immunoglobulins</i> | 1 + 1 ml | 843654638 9828 | 400,00 |
| <i>IgE Immunoglobulins</i> | 1 + 1 ml | 843654638 9835 | 275,00 |
| <i>Light Chains</i> | 1 + 1 ml | 843654638 9842 | 200,00 |
| <i>Micro Albumin (urine)</i> | 1 + 1 ml | 843654638 9859 | 250,00 |
| <i>Retinol Binding Protein</i> | 1 + 1 ml | 843654638 9866 | 200,00 |
| <i>Retinol Binding Protein (urine)</i> | 1 + 1 ml | 843654638 9873 | 300,00 |
| <i>Rheumatoid Factors</i> | 1 + 1 ml | 843654638 9880 | 250,00 |